
Rocket Activity Project X - 51

Objectives

To apply rocket principles and design, construct, test, and launch a water rocket using a real world problem-solving simulation.

Description

Teams of students will form rocket companies and compete in a commercial endeavor to construct rockets capable of launching payloads, astronaut crews, and even space tourists to Earth orbit. Through a strong interdisciplinary approach, balancing science with technology, engineering, and mathematics, they will develop a budget, purchase construction materials, and track expenditures while designing and constructing their rocket. They will then have to test the rocket for stability and fill out specification sheets. Finally, the teams will launch their rockets and conduct a cost/benefit (altitude vs. cost) ratio.



National Science Content Standards

Unifying Concepts and Processes

- Evidence, models, and explanation
- Change, constancy, and measurement Science as Inquiry
- Abilities necessary to do scientific inquiry Physical Science
- Position and motion of objects
- Motions and forces

Science and Technology

- Abilities of technological design
 Science in Personal and Social Perspectives
- Risks and benefits
- Science and technology in local challenges

National Mathematics Content Standards

- Number and Operations
- Geometry
- Measurement
- Data Analysis and Probability

National Mathematics Process Standards

- Problem Solving
- Reasoning and Proof
- Communication
- Connections

Materials

(All supplies need to be available for each group.)

- -2-liter soft drink bottle
- -1-liter water bottle
- -1 1 in. long by 3/4 in. diameter PVC segment
- -Aluminum soft drink can
- -Scrap cardboard, poster board, and tag board
- -Large cardboard panels (about 3 X 1 feet) for silhouettes
- -Duct tape
- -Masking tape
- -Glue stick
- -Low-temperature glue gun
- -Modeling clay
- -Plastic grocery bag or garbage bag
- -String
- -Art supplies

(The following are needed for launch day.)

- -Water rocket launcher (see page 87)
- -Eye protection
- -Altitude tracker (see page 81)
- -Tape measure
- -Water

Management

Prior to this project students should have the opportunity to design, construct, and launch water rockets using different water volumes and pressures to see the effect these variables have on the altitude. Students should also become proficient in altitude tracking. (See article on page 119.) Doing so will prepare them to employ Newton's laws of motion to maximize the flight properties of their rockets.

Divide your students into teams of three. They will form competing rocket companies in a request for proposal, issued by NASA. Their objective is to construct the best payload/crew/space tourist orbital transport rocket. The team will select roles for each member: Project Manager, Budget Director, and Design and Launch Director. One of the student pages that follows contains badges for each student. The back side of the badges explain the duties for each job. Take digital head shot pictures of each student and print them. Have students trim the pictures and paste them on to their badges prior to laminating them.

The project takes approximately two weeks to complete and includes a daily schedule of tasks. Students may need additional time to complete daily tasks and keep on schedule.

Collect all building materials and copy all reproducibles before beginning the activity. Make several copies of the order forms and blank checks for each group.

Allow enough time on the first day for students to read and discuss all sheets and determine how the sheets apply to the project schedule. Focus on the student score sheet to make sure students understand the criteria used to assess their performance.

By the end of the first day, teams should have decided on the roles each member will play, the name of the company, and started their rocket design.

Background

From the beginning of the space program, rockets, spacecraft, spacesuits, launch platforms, and much more have been built by contractors. The responsibility of the National Aeronautics and Space Administration (NASA) has been to manage the exploration of the atmosphere and space.

When a particular space mission is decided upon, requests for proposals are issued to American industry to build the hardware. Corporate teams propose designs for rockets, space capsules, or whatever else NASA needs for its mission. After a competitive process, the winning corporation is chosen and money is awarded to begin construction. Often, when very large contracts are awarded, the winning companies will select other companies as subcontractors to build component systems. This contracting strategy has worked successfully for NASA for more than 50 years.

The International Space Station is critical for NASA to understand and overcome the challenges of long-duration spaceflight necessary for the journey to Mars. By encouraging industry to provide human transportation services to and from low-Earth orbit, NASA can expand its focus on building spacecraft (Orion) and rockets (SLS) for deep space missions.

NASA's Commercial Resupply Services Program is an initiative changing the way NASA does business, helping build a strong American commercial space industry, and freeing the agency to focus on the systems that will allow travel farther into space than ever before. SpaceX began successfully resupplying the space station with cargo in 2012 and Northrop Grumman (known as Orbital Sciences at the time) followed in 2014.

NASA's Commercial Crew Program is working with American aerospace companies The Boeing Company and SpaceX to develop and operate a new generation of spacecraft and launch systems capable of carrying crews to low-Earth orbit and the International Space Station. Commercial transportation to and from the station will provide expanded utility, additional research time, and broader opportunities of discovery on the orbiting laboratory. SpaceX had the first successful crewed flight for the Commercial Crew Program in May 2020.

Procedure

Refer to the student sheets and the project schedule for details on specific tasks and when they should be performed. The project schedule calls for teacher demonstration on how to make nose cones on day 3 and how to determine the center of pressure and center of mass on day 6.

Discussion

- What did you learn about running a company? How might you have done things differently? What was the most difficult part of the two weeks? What do you understand now that you were not sure or aware of before?
- Why is NASA supporting the development of private launch vehicles?

Assessment

Base the assessment of team performance on their documentation: Project Journal, Silhouette, and Launch Results. Refer to the *Project X-51* Score Sheet for details.

Extensions

Large space missions often require a wide range of subcontractors across the United States to provide the expertise neededto build the launch and vehicle systems. Learn about the contributions contractors in your state make towards the exploration of outer space. A good place to start is with the Space Grant Consortium for your state. Consortium members (colleges and universities) promote space research and educational activities in their home states and work with local space industries. The following website contains an interactive listing of Space Grant programs by state: http://www.nasa.gov/offices/education/programs/national/spacegrant/home/Space Grant_Directors.html

Request for Proposal


The National Aeronautics and Space Administration is seeking competitive bids for an advanced rocket capable of launching large payloads and crew to Earth orbit at low cost. The International Space Station needs continual crew and cargo resupply flights. NASA will also need massive amounts of rocket fuel and other supplies for future deep space missions transported to orbit. The winning company will design and test a rocket capable of transporting supplies and crew to space at the best cost. As an added bonus, the rockets developed will also be ideal for use in space tourism. The winning company will be awarded a \$100,000,000 development contract. Interested companies are invited to submit proposals to NASA for a rocket capable of meeting the objectives below.

The objectives of Project X-51 are:

- a. Design and draw a bottle rocket plan to scale.
- b. Develop a budget for the project and stay within the allotted funds.
- c. Build a test rocket using the budget and plans developed by the team.
- d. List rocket specifications and evaluate the rocket's stability by determining its center of mass and center of pressure and by conducting a string test.
- e. Successfully test launch the rocket with a 250 gram payload of simulated fuel.
- f. Display fully illustrated rocket designs in class. Include dimensional information, location of center of mass and center of pressure, and actual flight data including time aloft and altitude reached. Launch the rocket to achieve the greatest altitude.
- g. Neatly and accurately complete a rocket journal.
- h. Develop a cost analysis for the rocket and justify its economic benefits.

Proposal Deadline: Two (2) weeks.

Project Schedule



Day 1

- · Form rocket companies.
- · Pick company officers.
- · Brainstorm ideas for design and budget.
- Sketch preliminary rocket design.



Project X-51 Schedule Day 2

- Develop materials and budget
- Develop scale drawing.



Project X-51 Schedule Day 3

- Demonstration: nose cone construction.
- Issue materials and begin construction.



Project X-51 Schedule Day 4

· Continue construction.



Project X-51 Schedule Day 5

· Continue construction.





Project X-51 Schedule Day 6

- **Demonstration: Find center of** mass and center of pressure.
- Introduce rocket silhouette construction and begin rocket analysis.





Project X-51 Schedule Day 7

- · Finish silhouette construction and complete prelaunch analysis. Hang silhouette.
- Perform swing test.



Project X-51 Schedule Day 8

· Launch Day!

Project X-51 Schedule Day 9

- Complete post launch results, silhouette documentation.
- Prepare journal for collection.
- Documentation and journal due at beginning of class tomorrow.

Project X-51 Checklist

Project Grading:

50% Documentation - See Project Journal below. Must be complete and neat.

25% Proper display and documentation of rocket silhouette.

25% Launch data - Measurements, accuracy, and completeness.

Project Awards:

USA will award exploration contracts to the companies with the top three rocket designs based on the above criteria. The awards are valued at:

First \$100,000,000 Second \$50,000,000 Third \$30,000,000


Project Journal:

Check off items as you complete them.

1. Creative cover with members' names, date, project number and company name.
2. Certificate of Assumed Name (registration of the name of your business).
3. Scale drawing of rocket plans. Clearly indicate scale. Label: Top, Side, and End views.
4. Budget Projection.
5. Balance Sheet.
6. Canceled checks. Staple checks on a page in ascending numerical order (3 to a page).
7. Pre-Launch Analysis.
8. Rocket Launch Day Log.
9. Score Sheet (part 3).

Badges

Each team member will be assigned specific tasks to help their team function successfully. All team members assist with design, construction, launch, and paperwork. Print the badges and fold them on the dashed lines. Take digital pictures of the teams and paste head shot prints inside the boxes on the front of the badges. Laminate the badges and provide string loops or clips for wearing them.



State of:
Certificate
of
Assumed Name
A filing fee of \$50.00 must accompany this form. Make out the check to "Registrar."
Filing Date: , 20
Project Number:
State the exact assumed name under which the business will be conducted:
List the name of the officers of the business:
Project Manager
Budget Manager
Design and Launch Director
Describe the product of your business:

Project X-51 Budget

Your team will be given a budget of \$1,000,000. Use the money wisely, plan well, and keep accurate records of all expenditures. Once your money runs out, you will operate in the "red." This will count against your team score. If you are broke at the time of the launch, you will be unable to purchase rocket fuel. You will then be forced to launch with compressed air only. You may purchase only as much rocket fuel as you can afford at the time of the launch.

All materials not purchased from the listed subcontractors will be assessed an import duty tax of 20% of the market value. Materials not on the subcontractors list will be assessed an Originality Tax of \$5,000.00 per item.

A project delay penalty fee will be assessed for not working on task, lacking materials, etc. The maximum penalty is \$300,000 per day.

Approved Subcontractor List			
Subcontractor	Item	Market Price	
Bottle Engine Corporation	2-liter bottle/launch guide 1-liter bottle/launch guide	\$200,000 \$150,000	
Aluminum Cans Ltd.	Can	\$50,000	
International Paper Products	Cardboard - 1 sheet Tagboard - 1 sheet Colored paper - 3 sheets Crepe paper - 1 strip Silhouette panel - 1 sheet	\$25,000 \$30,000 \$40,000 \$10,000 \$100,000	
International Tape and Glue Co.	Duct tape (50 cm strip) Masking tape (100 cm strip) Glue stick	\$50,000 \$50,000 \$20,000	
Aqua Rocket Fuel Service	1 ml	\$300	
Strings Inc.	1 m	\$5,000	
Plastic Sheet Goods	1 bag	\$5,000	
Common Earth Corporation	Modeling clay - 100 gm	\$5,000	
NASA Launch Port (rental)	Launch	\$100,000	
NASA Consultation	Question	\$1,000	

Company Name:			
Project X-51 Purch	nase Order Form		
Date:,20 Check N	No P.O. No		
Supply Company Name:			
Items Ordered:	Quantity Unit Price Cost		
Budget Director's Signature:			

Company Name:					
Project X-51 P	Project X-51 Purchase Order Form				
Date:	Check No	P.O. No			
Supply Company Name:		_			
Items Ordered:	Quantity	Unit Price	Cost		
			-		
		<u> </u>			
Budget Director's Signature: Total					
Budget Director's Signature.					

Company Name:				
Project X-51 Purchase Order Form				
Date:,20	Check No		P.O. No	
Supply Company Name:			_	
Items Ordered:		Quantity	Unit Price	Cost
Budget Director's Signature:				
budget Director's dignature.				

Project X-51 Budget Projection

Company Name:	
Record below all expenses your company expects to incur in the desiconstruction, and launch of your rocket.	gn,

Item	Supplier	Quantity	Unit Cost:	Total Cost:
				<u> </u>
				\
			-	
			-	

Rockets Educator Guide 106

Projected Total Cost

Keep this stub for your records		
Reep this stub for your records	Company	
	Name:	Check No.
Check No:	Name.	
onook res		Date:, 20
Date:, 20	Pay to the	, 20
Date:, 20		\$
l_	Order of:	Ψ
To:		
l li		Dollars
For:		_
l li		Project Manager
ī	National	Signature:
l li		
Amount:	Space	Budget Director
	Bank	Signature:
\$	For:	Oignature.
	:30109932	0295110 ∥ 175
I I	•	
Keep this stub for your records		
Reep this stub for your records	Company	
l <u>!</u> !	Name:	Check No
Check No:	Name.	
!		Date: , 20
Date:, 20	Pay to the	
, 20 <u> </u>	_	\$
l ₌₌	Order of:	Ψ
To:		
llil		<u>Dollars</u>
For:		Dunio et Manager
		Project Manager
1	National	Signature:
	Space	
Amount:	Bank	Budget Director
\$		Signature:
*	For:	
l ::	:30109932	0295110 ∥ 175
''		
Keep this stub for your records		
	Company	Check No.
l	Name:	Check No.
Check No:		
l li		Date: , 20
Date:, 20 i	Pay to the	•
	Order of:	\$
To:		
<u> </u>		Dollars
For:		Dollars
· ···		Project Manager
		Signature:
 !	National	
	Space	Pudget Director
Amount:	Bank	Budget Director
\$	For:	Signature:
I I.I	:30109932	U47311U II-173

Project X-51 Balance Sheet

Compai	ny Name:	
Ounpai	.,	

Check No.	Date:	То:	Amount:	Balance:
			•	-
				\
			-	
			•	
			•	•
				-
			-	

Rocket Measurements	Date: ,
for Scale Drawing	

Project No.				
Company Nan	ne:			

20 .

Use metric measurements to measure and record the data in the blanks below.

Be sure to accurately measure all objects that are constant (such as bottles) and those you will control (like the size and design of fins). If additional data lines are needed, use the back of this sheet. Mark "NA" in columns that don't apply to the object being measured. For example, diameter and circumference do not apply to fin measurement.


Object	Length	Width	Diameter	Circumference

Using graph paper, draw side, top, and bottom views of your rocket to scale (1 square = 2cm), based on the measurements recorded above. Attach your drawings to this paper. If you make changes during construction, your scale drawing and measurement sheet should reflect them.

Project X-51 Scale Drawing

Company Name: _____

Scale: 1 square = 2 centimeters



Rocket Stability Determination (Swing Test)

A rocket that flies straight through the air is said to be stable. A rocket that veers off course or tumbles is said to be unstable. Whether a rocket is stable or unstable depends upon its design.


All rockets have two "centers." The first is the center of mass. This is a point about which the rocket balances. The picture to the right shows a rocket suspended from a string. The rocket is hanging horizontal. That means that it is balanced. The string is positioned exactly beneath the rocket's center of mass. (This rocket looks like it should really hang with its tail section downward. What you can't see in the picture is a mass of clay placed in the rocket's nose cone. This gives the left side as much mass as the right side. Hence, the rocket balances.)

The center of mass is important to a rocket. If the rocket is unstable, it will tumble around the center of mass in flight the way a stick tumbles when you toss it.

The other "center" of a rocket is the center of pressure. This is a point in the shape of the rocket where half of the surface area of the rocket is on one side and half on the other. The center of pressure is different from the center of mass in that its position is not affected by what is inside the rocket. It is only based on the rocket's shape.


Air strikes the surface of the rocket as the rocket moves. You know what this is like. If you stick your arm outside a car window when it is moving, you feel pressure from the air striking your arm. The center of pressure of a rocket is the middle point. Half of the total pressure on the rocket is on one side of the point and half on the other.

Depending upon the design of the rocket, the center of mass and the center of pressure can be in different places. When the center of mass is in front of the center of pressure (towards the nose end), the rocket is stable. When the center of pressure is towards the front, the rocket is unstable.



When designing a stable rocket, the center of mass must be to the front and the center of pressure must be to the rear.


A simple way to accomplish stability is to place fins at the rear of the rocket and place extra mass in the nose. Look at the rockets below. One of them is stable and the others are not. The center of mass is shown with a back dot. The center of pressure is shown with a red dot. Which rocket will fly on course?




Rocket B is the most stable rocket. Rocket C will definitely tumble in flight. Rocket A will probably fly on a crooked path. Any cross winds encountered by the rocket as it climbs will cause it to go off course.


How to Determine Your Rocket's Stability

- 1. Draw a scale diagram of your rocket on the graph paper. Make it exactly like the shape of your rocket as seen from the side.
- 2. Tie a string loop snugly around your rocket so that you have one long end to hold. Except for the water needed for launch, your rocket should be set up exactly as it will be during launch.
- 3. Slide the loop until the rocket hangs horizontally. When it hangs horizontally, the string is at the rocket's center of mass. Mark that spot in the middle of your rocket on the scale diagram. Use a black dot.
- 4. Cut out a silhouette of your rocket from a piece of cardboard. Make it <u>exactly the same shape and size</u> of your rocket as seen from the side.
- 5. Balance the silhouette on the edge of a ruler. The center of pressure of your rocket is where the ruler is located. Mark that spot in the middle of your rocket on the scale diagram. Use a red dot.
- 6. If the center of pressure is before (towards the rocket's nose) the center of mass, add some additional clay to the rocket OR increase the size of the fins. Repeat the tests until the center of mass is in front.
- 7. Verify your design results by conducting a swing test. Balance the rocket again with the string. Use a couple of pieces of masking tape to hold the string loop in position. Stand in a clear area and slowly start the rocket swinging in a circle. If the rocket is really stable, it will swing with its nose forward and the tail to the back.





In flight, the rocket will try to tumble around its center of mass. If the center of pressure is properly placed, the rocket will fly straight instead. More air pressure will be exerted on the lower end of the rocket than on the upper end. This keeps the lower end down and the nose pointed up!




Project X-51




Pre-Launch Analysis

Company Name:	Project No.							
Project Manager:								
Design and Launch Director:								
Budget Director:								
Rocket Spe	ecifications							
Total Mass: g	Number of Fins:							
Total Length:cm	Length of Nose Cone: cm Volume of Rocket Fuel (H ₂ O) to be							
Width (widest part): cm								
Circumference: cm	used on launch day: ml							
Rocket	Stability							
Center of Mass (CM)	Center of Pressure (CP)							
Distance from Nose: cm	cm							
Distance from Tail: cm	cm							
Distance of CM from CP: cm								
Did your rocket pass the string test?								



Project X-51 Score Sheet

Total Score:	Project No.
	Date:,20
Company Name:	
Part 1: Documentation = 50% of proje	ect grade
Neatness	Completeness
Accuracy	Order
On Time	Score:
Part 2: Silhouette = 25% of project gr	ade
Neatness	Completeness
Accuracy	Proper Balance
Correct use of labels	Score:
Part 3: Launch Results = 25% of proje	ect grade (teams complete this section)
a. Rocket Altitude	Rank
b. Expenditures and Penalty Fees (Check total from Balance Sheet)	
c. Final Balance(New Balance on Balance Sheet)	
d. Efficiency (Cost/meter) (Divide investment (b) by Rocket Al	
e. Contract Award	
f. Profit(Contract Award (e) minus Expendi	tures (b)
	Score:



It Takes a Community to Explore Space

Aerospace Engineer

Architect
Astronaut
Astronomer
Biologist

Chemical Engineer

Chemist Communications Engineer Computer

Engineer Dietician

Doctor

Electrical Engineer

Environmental Scientist Geographer Geologist Materials Engineer Mechanical Engineer Meteorologist Mission

Controller Nurse
Oceanographer

Physicist

Public Affairs Specialist Robotics Engineer Safety

and Occupational Health Specialist Simulation Specialist

Teacher
Technician
Test Pilot

Wildlife Biologist

See a job that looks interesting? Want to joint the team? All these careers and many more are needed to explore space.

NASA and the companies that build rockets and spacecraft are always on the lookout for future scientists, technicians, engineers, and mathematicians. They need people who can plan, design, build, manage, and fly missions throughout the Solar System. Big rockets and spacecraft are comprised of many integrated systems. People, working together, build spacesuits, prepare space food, construct energy and environmental systems, program computers, and train flight crews. Doctors keep the astronauts healthy on the ground and in space. Technicians prepare the launch pads, pack booster parachutes, and process payloads.

Visit some of the Internet sites below. They list current NASA job openings, help future aerospace workers plan their education, and tell about opportunities available to students. Also check out the opportunities available on the Internet sites of private space companies that launch space tourists, satellites, and build heavy-lift rockets for transporting cargo to orbit.

NASA Internships - https://intern.nasa.gov/

NASA People - www.nasa.gov/about/people

Careers @ NASA - www.nasa.gov/careers